# Runner Tile/Tube



#### **Plain End Tube**

**Akron Porcelain & Plastics Company** Thinwall gate tubes are exceptionally lightweight due to a 3/8" wall thickness. This reduces shipping costs and provides for easier handling in the foundry. Standard sizes of plain end tubes can be furnished with one or both ends angled.

STOCK #	INSIDE DIAMETER	OUTSIDE DIAMETER	LENGTH (in.)		
1303	1"	1-3/4"	1-18		
1092	1-1/4"	2"	1-18		
1093	1-1/2"	2-1/4"	1-18		
1304	1-3/4"	2-1/2"	1-18		
1090	2"	2-3/4"	1-18		
1100	2-1/4"	3"	1-18		
1094	2-1/2"	3-1/4"	1-18		
1091	3"	3-3/4"	1-18		
2094	3-1/2"	4-1/4"	1-18		
1095	4"	5"	1-18		
1097	5"	6"	1-18		

Tubes longer than 18" up to 40" can be manufactured upon request. Tube lengths are furnished in 1/2" increments.

Plain End Tubes SPECIALS (Measurement in Inches)

STK #	1308	1726
ID	7/8	1-1/8
OD	1-5/8	2



### **Matching End Tube**

**Matched end tubes** eliminate the use of sprue stick and guarantee that the effective diameter of the sprue and gating system is maintained. The matched end tubes have 13/32" wall thickness and are slightly heavier than the plain end tubes.

STOCK #	INSIDE DIAMETER	OUTSIDE DIAMETER	LENGTH (in.)
1303	1"	1-3/4"	1-12
1314	2-1/2"	3-5/16"	1 - 12
1316	3-1/2"	4-5/16"	1 - 12
1319	4"	5"	1 - 12
1321	5"	6"	1 - 12

Tubes longer than 12" up to 18" can be manufactured upon request. Tube lengths are furnished in 1/2" increments.

#### **Bent Tube**

**Akron Porcelain & Plastics Company** Thinwall bent tubes are refractory pouring tubes which replace the horn gate for bottom poured castings. Their use provides a smooth, non- turbulent flow of metal into the casting. They are furnished in the same diameters and wall thickness as the **Akron Porcelain & Plastics Company** plain tubes.

• They are available to radii of 17" and greater depending on the diameter of the tube.

## **Angled End Tube**

- 45 degree angle cut on one or both ends
- 30 degree angle sections 3 sections make a 90 degree sweep
- Sizes available same as standard plain end tube diameters



## **Smashed End Tube, Slotted Tube...**

• Custom design to accommodate process.



